

(b) Amendment to the Claims:

Kindly cancel claims 18-27 and add new claims 28-38. A detailed listing of the claims is provided which replaces all earlier listings.

28. (New) A multicolor light-emitting device comprising at least a first and a second organic electroluminescence devices provided on a substrate, the first and the second organic electroluminescence devices emitting lights of different colors, and each of the organic electroluminescence devices having at least;

a first electrode arranged on a side of reflecting light;

a second electrode, opposed to the first electrode, arranged on a side of light extracted;
and

an electroluminescence layer comprising an organic compound layer arranged between the first electrode and the second electrode,

the first electrode being provided closer to the substrate than the second electrode;

wherein a light-emitting region of the first organic electroluminescence device is located on the first electrode side of the electroluminescence layer of the first organic electroluminescence device, and

a light-emitting region of the second organic electroluminescence device is located on the second electrode side of the electroluminescence layer of the second organic electroluminescence device.

29. (New) The multicolor light-emitting device according to claim 28, wherein the electroluminescence layer of the first organic electroluminescence device is a layer having a carrier transporting property in which electrons are more readily transported compared to holes, and the electroluminescence layer of the second organic electroluminescence device is a layer having a carrier transporting property in which holes are more readily transported compared to electrons.

30. (New) The multicolor light-emitting device according to claim 29, wherein each of the first and the second organic electroluminescence devices has a first layer between the electroluminescence layer and the first electrode, and has a second layer between the electroluminescence layer and the second electrode.

31. (New) The multicolor light-emitting device according to claim 30, wherein the first organic electroluminescence device emits a light of shorter wavelength than the second organic electroluminescence device.

32. (New) The multicolor light-emitting device according to claim 31, wherein the second organic electroluminescence device emits red light.

33. (New) The multicolor light-emitting device according to claim 29, wherein each of the electroluminescence layer of the first organic electroluminescence device and the electroluminescence layer of the second organic electroluminescence device independently has a thickness from 10 nm to 35 nm.

34. (New) The multicolor light-emitting device according to claim 30, wherein the first layer of the first organic electroluminescence device and the first layer of the second organic electroluminescence device have the same thickness.

35. (New) The multicolor light-emitting device according to claim 30, wherein the first layer is a hole-transporting layer and the second layer is an electron-transporting layer.

36. (New) The multicolor light-emitting device according to claim 30, wherein a thickness (da1) of the first layer of the first organic electroluminescence device satisfies the following equation:

$$n_1 d a_1 = \frac{\lambda_a}{4} (1 + 2i) \quad i = 0, 1, 2, \dots (c)$$

wherein n_1 denotes a refractive index of a first charge-transporting layer, and λ_a denotes a peak emission wavelength of one organic electroluminescence device; and a thickness (db_1) of the first layer and a thickness (db_3) of the electroluminescence layer of the second organic electroluminescence device satisfy the following equation:

$$n_1 db_1 + n_3 db_3 = \frac{\lambda_b}{4} (1 + 2i) \quad i = 0, 1, 2, \dots (d)$$

wherein n_1 denotes the n_1 , $db_1 = da_1$, n_3 denotes a refractive index of the electroluminescence layer of the one organic electroluminescence device and λ_b denotes a peak emission wavelength of one organic electroluminescence device.

37. (New) The multicolor light-emitting device according to claim 29 further comprising a third organic electroluminescence device wherein the first organic electroluminescence device, the second organic electroluminescence device and the third organic electroluminescence device emit a different color of either blue, green or red light, respectively.

38. (New) A display apparatus having the multicolor light-emitting device according to claim 28.